

City of Grass Valley Improvement Standards December 2010 Update

Design Standards

Section	Pages to Replace	Significant Changes
N/A	Cover Page	<ul style="list-style-type: none"> Revision date updated
N/A	Table of Contents Pages 3 through 8	<ul style="list-style-type: none"> Pages numbers updated
5	3-4	<ul style="list-style-type: none"> Added section "Fire Apparatus Access Roads" per Appendix D of the CA Fire Code
6	1-2, 11-12	<ul style="list-style-type: none"> Alley section now references Section 5 for fire apparatus access roads Modified cul-de-sac lengths by 50 feet to match Appendix D of the CA Fire Code Revised trenching note to allow cutting of 5 year or less pavement if unavoidable but requires slurry
8	3-6, 9-10	<ul style="list-style-type: none"> Corrected max. flow depth to 70% Removed requirement to install a manhole when a 6" lateral is constructed Clarified storage in Table 8-3 is for ADWF

Construction Standards

Section	Pages to Replace	Significant Changes
N/A	Cover Page	<ul style="list-style-type: none"> Revision date updated
N/A	Table of Contents Pages 1-2, 5-6	<ul style="list-style-type: none"> Pages number corrected Back Flow Prevention Devices Section added
3	1-2, 5-8	<ul style="list-style-type: none"> Revised trenching note Justified text Corrected thickness of commercial concrete driveway in right of way Deleted epoxy requirement for sidewalk doweling
5	9-10	<ul style="list-style-type: none"> Added Backflow Prevention Device section
9	7-8	<ul style="list-style-type: none"> Corrected HPS specs and luminaries part numbers

Standard Details

Section	Details to Replace	Significant Changes
3	ST-21 and ST-22	<ul style="list-style-type: none"> ST-22 Modified cul-de-sac lengths by 50 feet to match Appendix D of the CA Fire Code
4	W-1 and W-2 W-13 and W-14	<ul style="list-style-type: none"> W-1 Modified residential ¾" and 1" water meter to allow for fire system connections W14 Corrected approving body
5	SS-3 through SS-7	<ul style="list-style-type: none"> Correct printing and eliminate duplicate page